



# Hillside Learning and Behavioral Center Safe Routes to School Action Plan

Last Review: 12/15/10

Walking Audit or Survey Recommendation	Steps to Take to Achieve Outcome	Person Responsible	Date Completed	Approval			Other Partners
				Road	School	Other	
<b>EDUCATION</b>							
1. Designated "Safe Routes" for Teachers to Follow	<ul style="list-style-type: none"> <li>Identify preferred routes for teachers to use in leading students to various learning opportunities</li> <li>Prepare and distribute maps of routes</li> </ul>	<ul style="list-style-type: none"> <li>SRTS Action Team</li> <li>Teachers</li> </ul>		X	X		
2. Educate HLBC Students on Safe Crossings	<ul style="list-style-type: none"> <li>Work with teachers to incorporate pedestrian safety education into livability curriculum</li> </ul>	<ul style="list-style-type: none"> <li>AAESA</li> <li>Robin Melvin</li> <li>Teachers</li> </ul>		X			
3. School District Wide Education on Walking/Biking Safety	<ul style="list-style-type: none"> <li>Identify and acquire, or develop, program</li> <li>Determine opportunities for delivery</li> </ul>	<ul style="list-style-type: none"> <li>Allegan Community Schools</li> <li>Principals</li> <li>SRTS Action Team</li> </ul>			X		<ul style="list-style-type: none"> <li>City of Allegan</li> <li>MDOT</li> </ul>
4. General Driver Education	<ul style="list-style-type: none"> <li>Focus on key intersections; local ordinances</li> <li>Include articles in press releases, newsletters, Web sites</li> </ul>	<ul style="list-style-type: none"> <li>City of Allegan</li> </ul>			X		<ul style="list-style-type: none"> <li>MDOT</li> <li>Allegan Community Schools</li> </ul>
5. Community Walk	<ul style="list-style-type: none"> <li>Include community in walk to school event to enhance awareness of safety concerns</li> </ul>	<ul style="list-style-type: none"> <li>Allegan Community Schools</li> <li>Principals</li> <li>City of Allegan</li> </ul>	X	X	X	X	<ul style="list-style-type: none"> <li>MDOT</li> </ul>
<b>ENCOURAGEMENT</b>							
1. Provide Reflective Vests for Students/Teachers	<ul style="list-style-type: none"> <li>Secure 15-30 vests for use by expeditions</li> </ul>	<ul style="list-style-type: none"> <li>SRTS Action Team</li> <li>Teachers</li> </ul>				X	<ul style="list-style-type: none"> <li>Blue Cross/Blue Shield of Michigan</li> </ul>
2. Provide Backpack Lights for Students	<ul style="list-style-type: none"> <li>Secure lights for students</li> <li>Distribute lights to students</li> </ul>	<ul style="list-style-type: none"> <li>SRTS Action Team</li> <li>Teachers</li> </ul>		X		X	<ul style="list-style-type: none"> <li>Blue Cross/Blue Shield of Michigan</li> </ul>
3. Participate in Walk to School Day	<ul style="list-style-type: none"> <li>Hold annual WTSD event</li> </ul>	<ul style="list-style-type: none"> <li>SRTS Action Team</li> </ul>		X	X	X	<ul style="list-style-type: none"> <li>City of Allegan</li> <li>MDOT</li> <li>Michigan Fitness Foundation</li> <li>DDA</li> <li>Blue Cross/Blue Shield of Michigan</li> </ul>
<b>ENFORCEMENT</b>							
1. Enhance Consistency of Ordinance Enforcement	<ul style="list-style-type: none"> <li>Brush</li> <li>Parking across sidewalks</li> <li>Dog leash laws</li> <li>Abandoned/blighted houses</li> <li>Snow removal</li> </ul>	<ul style="list-style-type: none"> <li>City of Allegan</li> </ul>		X			
2. Enhance Consistency and Expand Scope of Traffic Enforcement	<ul style="list-style-type: none"> <li>Enforce restrictions on right turns on red</li> <li>Enforce pedestrian traffic rights</li> <li>Use traffic officer for peak-hour enforcement at the following</li> </ul>	<ul style="list-style-type: none"> <li>City of Allegan</li> </ul>		X			<ul style="list-style-type: none"> <li>MDOT</li> </ul>

	intersections: Cutler @ Cedar, Monroe @ Cedar, Marshall @ Jenner/Cedar @ Ely						
<b>ENGINEERING</b>							
1. Cutler @ Cedar Intersection Improvements	<ul style="list-style-type: none"> <li>• Revise and relocate pedestrian warning sign</li> <li>• Use box span signal hanging method</li> <li>• Relocate "No Right Turn on Red" sign; use LED case sign that illuminates only when needed</li> <li>• Use pedestrian-activated leading pedestrian interval for signal</li> <li>• Install signal head in SE quadrant</li> <li>• Install back plates on signals</li> <li>• Use retroreflective tape in lieu of paint crosswalk markings</li> <li>• Mark lanes with appropriate trunkline directional indicators</li> <li>• Reduce sign clutter</li> <li>• Ensure clear lines of sight (with regard to plantings, utility poles)</li> </ul>	<ul style="list-style-type: none"> <li>• MDOT</li> </ul>		X			<ul style="list-style-type: none"> <li>• City of Allegan</li> </ul>
2. Monroe from Chestnut to Bridge over Kalamazoo River Intersection Improvements – "The Village Market / Jaycees Park"	<ul style="list-style-type: none"> <li>• Enhance sidewalk on Monroe Street from Cedar Street to Water Street</li> <li>• Install pedestrian-activated rectangular rapid flashing beacon, crosswalks, and pedestrian safety island at Chestnut (Jaycees Park)</li> <li>• Curb north side of intersection</li> <li>• Repair existing curbs</li> <li>• Mark fog lines on M-222</li> <li>• Reduce number of driveways on north side of M-222</li> <li>• Include traffic calming/beautification elements</li> <li>• Provide visual screening to hide skate park activities from view of road (preventing driver distraction)</li> </ul>	<ul style="list-style-type: none"> <li>• MDOT</li> <li>• City of Allegan</li> </ul>		X		X	<ul style="list-style-type: none"> <li>• Allegan DDA</li> </ul>
3. Sidewalk and Crosswalk Improvements	<p>Sidewalk</p> <ul style="list-style-type: none"> <li>• Add sidewalk on Hooker Road from 6<sup>th</sup> Street to Eastern Avenue</li> <li>• Terrace Street from Davis to Park</li> <li>• Park Drive from Terrace to Allegan County Fair Drive</li> <li>• Western Avenue from city limits to Cedar</li> <li>• Arbor Street from Ely to Western</li> <li>• James Street from Ely to Julia</li> <li>• Julia Street from Arbor to Grove</li> <li>• M-40/M-89 (Western Avenue) from Thompson to Davis</li> <li>• Maintain sidewalk along Sherman (sand), in downtown, and throughout city where ADA ramps are lacking or</li> </ul>	<ul style="list-style-type: none"> <li>• City of Allegan</li> </ul>		X			<ul style="list-style-type: none"> <li>• MDOT</li> </ul>

	walk is uneven, and where sidewalk is of insufficient width (particularly on Western and other streets near HLBC)  Crosswalk <ul style="list-style-type: none"> <li>• Western @ Davis</li> <li>• Marshall @ Fifth</li> <li>• Cedar @ Trowbridge</li> <li>• Bridge @ Marshall</li> </ul>						
4. Marshall @ Jenner, Cedar @ Ely Intersection Improvements	<ul style="list-style-type: none"> <li>• Use pedestrian-activated leading pedestrian interval for signal at Marshall and Jenner</li> <li>• Improve sight lines, particularly along north side of road</li> <li>• Evaluate redesign of intersection from Jenner to Ely</li> <li>• Relocate sidewalk on south side of Marshall to create buffer</li> <li>• Ensure proper sidewalk widths</li> </ul>	<ul style="list-style-type: none"> <li>• MDOT</li> </ul>	X				<ul style="list-style-type: none"> <li>• City of Allegan</li> </ul>
5. Monroe @ Cedar Intersection Improvements	<ul style="list-style-type: none"> <li>• Install fog lines on west edge of roadway</li> <li>• Install back plates on signal</li> <li>• Use pedestrian-activated leading pedestrian interval for signal</li> </ul>	<ul style="list-style-type: none"> <li>• MDOT</li> </ul>					<ul style="list-style-type: none"> <li>• City of Allegan</li> </ul>
6. Monroe @ Walnut Intersection Improvements	<ul style="list-style-type: none"> <li>• Install pedestrian-activated rectangular rapid flashing beacon, crosswalk, and pedestrian safety island</li> </ul>	<ul style="list-style-type: none"> <li>• MDOT</li> </ul>	X				<ul style="list-style-type: none"> <li>• City of Allegan</li> </ul>
7. Sherman @ Western Intersection Improvements	<ul style="list-style-type: none"> <li>• Traffic signal at the intersection</li> <li>• Pedestrian crossings</li> </ul>	<ul style="list-style-type: none"> <li>• City of Allegan</li> <li>• MDOT</li> </ul>				X	

X

X